

# Operational setup

## *Data processing and publication at Europeana Foundation*

**Adina Ciocoiu**  
Europeana Foundation



Mujer con cántaro sobre la cabeza. by González Martín-Gamero, Antonio (1880-1949)  
Fotógrafo - Archivo de la Diputación Provincial de Cáceres, Spain - Public Domain.



# Acronyms check-in and their purpose



EBUCORE



OAI PMH

EDM

HTTP

API

URI

LOD

XSLT

ISO 639-2


# Aggregation in a nutshell



# Operational model

- We have **42 accredited aggregators** plus **3 candidate aggregators** (**Euskariana**, Digiphil, Heritage Malta)
- They are **key data partners members of the Europeana Aggregators' Forum (EAF)**
- We have **a number of additional data partners** we work with directly that are **not accredited**
- Aggregators' responsibility to **communicate directly with CHIs** (Cultural Heritage Institutions)

# Data ingestion in a nutshell



# Metis Sandbox VS Metis

## Metis Sandbox

- **test environment for your data.**
- simulate ingesting and running the Metis workflow on your data,
- see what your records would look like on the actual Europeana.eu,
- get insight into the quality of your records.

europeana.eu  
test environment

## Metis

- **data ingestion and aggregation service into Europeana.eu**  
Metadata Ingestion System, also named after the Greek Titaness of wisdom prudence and wise counsel)
- developed by Europeana Foundation in collaboration with the Poznań Supercomputing and Networking Center (PSNC).
- Released November 2018, an open source software

europeana.eu  
prod environment  
(published data)

# Dataset Information

## Metis Sandbox

**Upload Dataset**

Name \*

Country \*

Language \*

Harvest protocol \*

File upload  OAI-PMH upload  HTTP upload

No file chosen

Step size

Records are not provided in the EDM (external) format

## Metis

Dataset Name Hispana\_BDComunidadMadrid

Provider Hispana

Data Provider Biblioteca Digital de la Comunidad de Madrid

Intermediate Provider

Date Created 09/06/2021 - 16:13

Date Updated

Redirects from [Add dataset id to redirect from](#)

Replaces

Replaced by

Country Spain

Language Spanish


## Jira Dataset description

Projects / [Europeana DPS](#) / [AGG-62](#) / [AGG-2263](#)

General [Data Submission Details](#) New Form - WIP

Aggregator Name	Hispana
Data Provider	Biblioteca Digital de la Comunidad de Madrid
OAI Endpoint	<a href="https://hispana.mcu.es/i18n/oai/oai_hispana.mcu.es.do">https://hispana.mcu.es/i18n/oai/oai_hispana.mcu.es.do</a>
setSpec	bdcomunidadmadrid
Metadata format	edm
Metadata language	Spanish
edmDataProvider country	Spain
Dataset ID (Only for updates)	not applicable
Number of records	67.781

# Metis Sandbox & Metis





# Harvest/Import



Harvest/  
Import

- **Harvest data either via OAI-PMH or HTTP (file)**
- When there are issues an report is generated that shows details of what's happening
- Incremental harvesting (source OAIPMH server could be set up to support processing of ONLY updated or new items)

# Validation (external)



- **Items (source EDM) should be valid in the EDM external format**
- In this workflow step the harvested (source) data is validated against the [EDM External schema](#).

*What do you remember from the workshop yesterday?*

# Transformation



- This workflow step transforms and cleans harvested data from [EDM External to EDM Internal](#).
- The Europeana Aggregation class is created based on the information from the *Dataset information* form we add in.
- The Europeana Proxy class is added during the transformation.
- edm:country and edm:language will be overwritten by the information from the *Dataset information* form.
- **During transformation, Europeana IDs are generated**

# Transformation: example

## Source ID

```
<edm:ProvidedCHO rdf:about="https://hispana.mcu.es/lod/oai:bibliotecavirtu
```

## After transformation

```
<edm:ProvidedCHO rdf:about="/546/https___hispana_mcu_es_lod_oai_bibliotecavirtualmadrid_comuni
```

## Addition of Europeana Aggregation class / Dataset information


```
<edm:EuropeanaAggregation rdf:about="/aggregation/europeana/546/  
https___hispana_mcu_es_lod_oai_bibliotecavirtualmadrid_comunidad_madrid_10000034096_ent0">  
  <edm:aggregatedCHO rdf:resource="/546/https___hispana_mcu_es_lod_oai_bibliotecavirtualmadrid_comunidad_madrid_10000034096_ent0"/>  
  <edm:dataProvider xml:lang="en">Europeana Foundation</edm:dataProvider>  
  <edm:provider xml:lang="en">Europeana Foundation</edm:provider>  
  <edm:datasetName>546_Hispana_BDComunidadMadrid</edm:datasetName>  
  <edm:country>Spain</edm:country>  
  <edm:language>es</edm:language>  
</edm:EuropeanaAggregation>
```

# Validation (internal)

- Identical step with Validation (external)
- Harvested data is validated against the EDM Internal schema.



# Normalisation




- Clean spaces and HTML markup tags from text values.
- Clean duplicate statements.
- Normalizing language identifiers to the one of the ISO standards (ISO 639-X).
- Date normalisation
- Fix encoding errors in given media URIs.

# Enrichment - two fold

## enrichment = adding context

- Such as **places, agents, concepts, timestamps:**
- equivalence relations and adding the resolved entities to the record as context.
- Compute Europeana completeness (an **indication for the richness of the data**).
- Determine the year(s) of the record.



## dereferencing = resolving LOD vocabularies

- Examine the values of certain fields for references to known external sources (e.g. **Wikidata, Geonames**, etc.) or to the Europeana entity collection (<http://data.europeana.eu>)
- Map these sources to our EDM format using XSLTs (in case of external sources).
- Include the entities in the record so that the original references can now be resolved within the record itself.

# ...done by

## equivalence relation:

- Look for **equivalence references** to entities in the Europeana entity collection. These are indicated by '<owl:sameAs>' relations which can be defined either in an external (i.e. non-Europeana) **contextual entity** already present in the record or in the Europeana entity to be added.
- Find the entities, add them to the record and link just as the original (equivalent) reference was linked

## textual value:

- Look for **textual references** (labels) that are not in the form of a link/ID.
- Find entities with the same label in the Europeana entity collection.
- Add these to the record and link them just as the textual value is referenced.





# Enrichment - edm:Place example

## Source data

```
<dcterms:spatial xml:lang="es">España</dcterms:spatial>
```

## Enriched data - edm:Place

```
<owl:sameAs rdf:resource="http://www.wikidata.org/entity/Q29"/>  
<owl:sameAs rdf:resource="http://viaf.org/viaf/133609710"/>  
<owl:sameAs rdf:resource="https://d-nb.info/gnd/4055964-6"/>  
<owl:sameAs rdf:resource="http://id.loc.gov/authorities/names/n79006971"/>  
<owl:sameAs rdf:resource="http://data.bnf.fr/ark:/12148/cb118635857"/>  
<owl:sameAs rdf:resource="http://www.idref.fr/026376296/id"/>  
<owl:sameAs rdf:resource="http://www.idref.fr/027224406/id"/>  
<owl:sameAs rdf:resource="http://id.ndl.go.jp/auth/ndlna/00571694"/>  
<owl:sameAs rdf:resource="http://id.nlm.nih.gov/mesh/D013030"/>  
<owl:sameAs rdf:resource="https://www.freebase.com/m/06mkj"/>  
<owl:sameAs rdf:resource="https://g.co/kg/m/06mkj"/>  
<owl:sameAs rdf:resource="http://libris.kb.se/resource/auth/163816"/>  
<owl:sameAs rdf:resource="http://datos.bne.es/resource/XX109717"/>  
<owl:sameAs rdf:resource="http://datos.bne.es/resource/XX450592"/>  
<owl:sameAs rdf:resource="https://sws.geonames.org/2510769"/>  
<owl:sameAs rdf:resource="http://vocab.getty.edu/tgn/1000095"/>
```

```
<edm:Place rdf:about="http://data.europeana.eu/place/83">  
  <wgs84_pos:lat>40.2</wgs84_pos:lat>  
  <wgs84_pos:long>-3.5</wgs84_pos:long>  
  <skos:prefLabel xml:lang="de">Spanien</skos:prefLabel>  
  <skos:prefLabel xml:lang="ru">Испания</skos:prefLabel>  
  <skos:prefLabel xml:lang="fi">Espanja</skos:prefLabel>  
  <skos:prefLabel xml:lang="pt">Espanha</skos:prefLabel>  
  <skos:prefLabel xml:lang="bg">Испания</skos:prefLabel>  
  <skos:prefLabel xml:lang="lt">Ispanija</skos:prefLabel>  
  <skos:prefLabel xml:lang="lv">Spānija</skos:prefLabel>  
  <skos:prefLabel xml:lang="hr">Španjolska</skos:prefLabel>  
  <skos:prefLabel xml:lang="fr">Espagne</skos:prefLabel>  
  <skos:prefLabel xml:lang="hu">Spanyolország</skos:prefLabel>  
  <skos:prefLabel xml:lang="sk">Španielsko</skos:prefLabel>  
  <skos:prefLabel xml:lang="sl">Španija</skos:prefLabel>  
  <skos:prefLabel xml:lang="ga">An Spáinn</skos:prefLabel>
```

# Enrichment -edm:TimeSpan example

## Source data

```
<dcterms:issued>23/07/1911</dcterms:issued>
```

```
<dcterms:temporal xml:lang="es">S.XX</dcterms:temporal>
```

## Enriched data - edm:TimeSpan

```
<edm:TimeSpan rdf:about="http://data.europeana.eu/timespan/20">  
<skos:prefLabel xml:lang="de">20. Jahrhundert</skos:prefLabel>  
<skos:prefLabel xml:lang="fi">1900-luku</skos:prefLabel>  
<skos:prefLabel xml:lang="ru">XX век</skos:prefLabel>  
<skos:prefLabel xml:lang="pt">Século XX</skos:prefLabel>  
<skos:prefLabel xml:lang="bg">20 век</skos:prefLabel>  
<skos:prefLabel xml:lang="lt">XX amžius</skos:prefLabel>  
<skos:prefLabel xml:lang="hr">20. stoljeće</skos:prefLabel>  
<skos:prefLabel xml:lang="lv">20. gadsimts</skos:prefLabel>  
<skos:prefLabel xml:lang="fr">XXe siècle</skos:prefLabel>  
<skos:prefLabel xml:lang="hu">20. század</skos:prefLabel>  
<skos:prefLabel xml:lang="sk">20. storočie</skos:prefLabel>  
<skos:prefLabel xml:lang="sl">20. stoletje</skos:prefLabel>  
<skos:prefLabel xml:lang="ga">20ú haois</skos:prefLabel>  
<skos:prefLabel xml:lang="ca">Segle XX</skos:prefLabel>  
<skos:prefLabel xml:lang="sv">1900-talet</skos:prefLabel>  
<skos:prefLabel xml:lang="el">20ός αιώνας</skos:prefLabel>  
<skos:prefLabel xml:lang="en">20th century</skos:prefLabel>
```

```
<edm:TimeSpan rdf:about="#1911-07-23">  
<skos:prefLabel xml:lang="zxx">1911-07-23</skos:prefLabel>  
<dcterms:isPartOf rdf:resource="http://data.europeana.eu/timespan/20"></dcterms:isPartOf>  
<edm:begin>1911-07-01</edm:begin>  
<edm:end>1911-07-31</edm:end>  
<skos:notation rdf:datatype="http://id.loc.gov/datatypes/edtf/EDTF-level1">1911-07-23</skos:notation>  
</edm:TimeSpan>  
<edm:TimeSpan rdf:about="#19XX">  
<skos:prefLabel xml:lang="zxx">19XX</skos:prefLabel>  
<dcterms:isPartOf rdf:resource="http://data.europeana.eu/timespan/20"></dcterms:isPartOf>  
<edm:begin>1901-01-01</edm:begin>  
<edm:end>2000-12-31</edm:end>  
<skos:notation rdf:datatype="http://id.loc.gov/datatypes/edtf/EDTF-level1">19XX</skos:notation>  
</edm:TimeSpan>
```

# Enrichment - Organisation entity example

## Source data

```
<edm:dataProvider>Biblioteca Digital de Madrid</edm:dataProvider>  
<edm:isShownAt rdf:resource="https://bibliotecavirtualmadrid.comuni<br/><edm:isShownBy rdf:resource="https://bibliotecavirtualmadrid.comuni<br/><edm:object rdf:resource="https://bibliotecavirtualmadrid.comunidad<br/><edm:provider>Hispana</edm:provider>
```

## Enriched data - Organisation entity

```
<foaf:Organization rdf:about="http://data.europeana.eu/organization/1482250000004671126">  
  <skos:prefLabel xml:lang="en">Hispana</skos:prefLabel>  
</foaf:Organization>  
<foaf:Organization rdf:about="http://data.europeana.eu/organization/1482250000004500629">  
  <skos:prefLabel xml:lang="en">Digital Library of Madrid</skos:prefLabel>  
  <skos:prefLabel xml:lang="es">Biblioteca Digital de Madrid</skos:prefLabel>  
</foaf:Organization>
```

# Media processing

Certain fields (`edm:isShownAt`, `edm:isShownBy`, etc) contain media links (images, videos, audio files, text files, 3D files):

1. **Download resources\* to create technical metadata** such as general properties (media type, file size) and type-specific properties (e.g. a color space for images, a duration and frame rate for video files) and add these to the record.
2. This **impacts the provider servers at the time of processing**
3. We delete the files afterwards
4. Create thumbnails for images and PDF files (only if needed).



Media  
Processing

*\*For these actions, external (command-line) applications are used:*

***imageMagick*** (for images),

***ffprobe*** (for video and audio files) and

***GhostScript*** (for PDF files)

# Preview/Publish

## Preview:


- determining and adding to the record **ContentTier & MetadataTiers**
- the record is saved to the **MongoDB** - this database is designed **to preserve the record and all its components and relations.**

## Publish:


- The record is saved to the **Solr** - database designed for **searching.**
- the final version of it is uploaded to the **definitive storage where it can be accessed by Europeana's API services.**



# 💡 Check-in time ☐



# Answers



# Metis Sandbox User Guide & Training material



metis-sandbox.europeana.eu/



Training material

Feedback

User guide

## Europeana Knowledge Base


### User Guides & Training

- Metis User Guide
- Metis Sandbox User Guide
- Metis Sandbox Training
- Metis Sandbox FAQ

- 1 Goal of the Metis Sandbox
- 2 Where to find the sandbox
- 3 How to prepare your dataset
- 4 General interface elements
  - 4.1 Page header elements
  - 4.2 Buttons
  - 4.3 Input fields
  - 4.4 Page Indicators
  - 4.5 Links
  - 4.6 Drop-down menus
- 5 The Basics: arriving at the Metis Sandbox
  - 5.1 The Welcome screen
  - 5.2 The page header and side panel
  - 5.3 The Home screen
- 6 Upload a new dataset
  - 6.1 The Upload Form
    - 6.2.1 Zip File
    - 6.2.2 OAI-PMH
    - 6.2.3 HTTP(S) upload
  - 6.3 XSL Transformation to EDM (Optional)
  - 6.4 The step size
  - 6.5 The Generated Dataset ID



# Metis Sandbox (Processing)



The screenshot shows a web browser window with the address bar displaying "metis-sandbox.europeana.eu". The page features the Europeana Metis logo in the top left corner. The main content area is titled "Welcome to Metis Sandbox!" and includes a list of three bullet points describing the sandbox's capabilities. A green "GET STARTED" button is located in the bottom right corner of the main content area. To the right of the text, there is a circular diagram with two green icons: a database cylinder and a cloud with an upload arrow.

metis-sandbox.europeana.eu

☰ europeana metis

## Welcome to Metis Sandbox!

The Sandbox allows you to:

1. test to see if your data will work within the Metis flow
2. get insight into the quality of your records
3. preview your records on Europeana.eu

[GET STARTED](#)

# Upload Dataset



Name \*

Country \*

Language \*

Harvest protocol \*

File upload  OAI-PMH upload  HTTP upload

Name ✓

Hispana\_capuchinos

Country ✓

Spain

Language ✓

Spanish

Harvest protocol ✓

File upload  OAI-PMH upload  HTTP upload

Harvest URL ✓

https://hispana.mcu.es/i18n/oai/oai\_hispana.mcu.es.do

Setspec

capuchinos

Metadata format ✓

edm

```
</header>
<metadata>
  <rdf:RDF xmlns:rdm="http://www.w3.org/1999/02/22-rdf-syntax-ns#" xmlns:dc="http://purl.org/dc/elements/1.1/" xmlns:dcterms="http://purl.org/dc/terms/"
    xmlns:edm="http://www.europeana.eu/schemas/edm/" xmlns:europeana="http://www.europeana.eu/schemas/ese/" xmlns:foaf="http://xmlns.com/foaf/0.1/"
    xmlns:marc="http://www.loc.gov/MARC21/slim" xmlns:oai_dc="http://www.openarchives.org/OAI/2.0/oai_dc/" xmlns:ore="http://www.openarchives.org/ore/terms/"
    xmlns:owl="http://www.w3.org/2002/07/owl#" xmlns:rdaGr2="http://RDVocab.info/ElementsGr2/" xmlns:skos="http://www.w3.org/2004/02/skos/core#"
    xmlns:wgs84_pos="http://www.w3.org/2003/01/geo/wgs84_pos#" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.w3.org/1999/02/22-rdf-
    syntax-ns# http://www.europeana.eu/schemas/edm/EDM.xsd">
    <ore:Aggregation rdf:about="https://hispana.mcu.es/lod/oai:repositorio:BCCCAP0000000000000000000000484#ent0">
      <edm:aggregatedCHO rdf:resource="https://hispana.mcu.es/lod/oai:repositorio:BCCCAP0000000000000000000000484#ent1"/>
      <edm:dataProvider>Biblioteca Digital de Capuchinos</edm:dataProvider>
      <edm:isShownAt rdf:resource="http://opac.biblioteca-capuchinas.org/opac/abnetcl.exe?TITN=119786"/>
      <edm:isShownBy rdf:resource="http://www.bidicap.org/doai/BCCCAP0000000000000000000000484/HTML/files/assets/common/downloads/publication.pdf"/>
      <edm:object rdf:resource="http://www.bidicap.org/doai/BCCCAP0000000000000000000000484/HTML/files/assets/cover300.jpg"/>
      <edm:provider>Hispana</edm:provider>
      <edm:rights rdf:resource="http://creativecommons.org/licenses/by/4.0/" />
    </ore:Aggregation>
    <edm:ProvidedCHO rdf:about="https://hispana.mcu.es/lod/oai:repositorio:BCCCAP0000000000000000000000484#ent1">
      <dc:creator>Basilio de Barral (O.F.M. Cap.)</dc:creator>
      <dc:title>Guarao Guarata. Lo que cuentan los indios guaraoa. Reflejos del alma guaraua vistos a través de sus leyendas, cuentos, mitos y tradiciones / Basilio de
      Barral.</dc:title>
      <dc:type>text</dc:type>
      <dc:publisher>Caracas : Escuelas Gráficas Salesianas, imp.,</dc:publisher>
      <dc:date>1958</dc:date>
      <dc:language>spa</dc:language>
      <dc:description>351 p. ; 23 cm.</dc:description>
      <dc:description>Escritores capuchinos de la Provincia de Castilla : 1889-2010, p. 47</dc:description>
      <dc:subject>Capuchinos- Historia- Venezuela- Fuentes.</dc:subject>
      <dc:coverage>Venezuela- Historia.</dc:coverage>
      <dc:identifier>oai:repositorio:BCCCAP0000000000000000000000484</dc:identifier>
      <dc:rights>Biblioteca Digital de Capuchinos</dc:rights>
      <edm:type>TEXT</edm:type>
      <owl:sameAs rdf:resource="http://www.bidicap.org/doai/BCCCAP0000000000000000000000484/HTML"/>
    </edm:ProvidedCHO>
  </rdf:RDF>
</metadata>
</record>
<records>
```

# Hispana\_capuchinos

Spain / Spanish

🚩 21/02/2024, 11:45:06

6406



## Track Processing

**H Ve T Vi N E M Pu** ⚙️

- Harvest (oai-pmh) 1000 / 1000  
🚩 Some records not processed
- Validation (external) 1000 / 1000
- Transformation 1000 / 1000
- Validation (internal) 212 / 212
- Normalisation 212 / 212
- Enrichment 212 / 212
- Media Processing 158 / 158
- Publish 158 / 158

● Harvest (oai-pmh) 1000 / 1000

🚩 Some records not processed

If the dataset is too large then the remainder of the records is ignored

## Track Processing

**H Ve T Vi N**



- Harvest (oai-pmh) 1000 / 1000  
🚩 Some records not processed
- Validation (external) 1000 / 1000
- Transformation 1000 / 1000
- Validation (internal) 212 / 212
- Normalisation 212 / 212
- Enrichment 212 / 212

## Metadata Tier Zero (243)

This dataset contains 243 records that were awarded metadata tier 0. Here follows a sample list of records:

- /6406/https\_\_hispana\_mcu\_es\_lod\_oai\_repositorio\_BCC0011\_54\_6\_55000000000000000410\_ent1
- /6406/https\_\_hispana\_mcu\_es\_lod\_oai\_repositorio\_BCC0011\_98\_4\_130000000000000000\_ent1
- /6406/https\_\_hispana\_mcu\_es\_lod\_oai\_repositorio\_BCC0011\_...





● Validation (external)	1000 / 1000
● Transformation	1000 / 1000
● Validation (internal)	914 / 914
● Normalisation	914 / 914
● Enrichment	914 / 914
● Media Processing	577 / 577
● Publish	577 / 577

 [view details](#)

Enter the id of a **dataset** to track ✓

6406



Track



Issues (Overview)

Enter the id of a **dataset** to track ✓

6406



Track



Issues (Overview)

▲ P3: Near-Identical title and description fields

Occurs in 6 records:

- /6406/https\_\_\_hispana\_mcu\_es\_lod\_oai\_repositorio\_BCC001198\_7\_26000000  
 "Alfabetos antiguos. 1. <-> Tit. en el lomo: Alfabetos antiguos 1."
- /6406/https\_\_\_hispana\_mcu\_es\_lod\_oai\_repositorio\_BCCCAP0000000000000000  
 "Francisco de Asís, elegidos para ser libros. <-> Tit. en la cub.: "Francisco de Asís, elegidos p... ."
- /6406/https\_\_\_hispana\_mcu\_es\_lod\_oai\_repositorio\_BCCCAP0000000000000000  
 "Vida del P. Fr. Esteban de Adoain 1808-80. <-> Tit. en la cub.: Vida del P. Fr. Esteban de Ado... ."
- /6406/https\_\_\_hispana\_mcu\_es\_lod\_oai\_repositorio\_BCCPAM000522\_3\_21000  
 "Curso de homilias para todos los domingos del año. <-> Tit en la cub.: Curso de homilias para todos lo... ."
- /6406/https\_\_\_hispana\_mcu\_es\_lod\_oai\_repositorio\_BCCPAM000523\_3\_11p0  
 "Temas franciscanos. <-> Tit. en antep. Temas franciscanos. ."
- /6406/https\_\_\_hispana\_mcu\_es\_lod\_oai\_repositorio\_BCCPAM000R00\_3\_08p0

1 / 3 - 100% +

### Problem Patterns

Dataset : 6406

21/02/2024, 11:50:43

▲ P3: Near-Identical title and description fields

Occurs in 6 records:

- /6406/https\_\_\_hispana\_mcu\_es\_lod\_oai\_repositorio\_BCC001198\_7\_26000000000000000410\_ent1  
 "Alfabetos antiguos. 1. <-> Tit. en el lomo: Alfabetos antiguos 1."
- /6406/https\_\_\_hispana\_mcu\_es\_lod\_oai\_repositorio\_BCCCAP000000000000000000943\_ent1  
 "Francisco de Asís elegidos para ser libros. <-> Tit. en la cub.: "Francisco de Asís elegidosp... ."
- /6406/https\_\_\_hispana\_mcu\_es\_lod\_oai\_repositorio\_BCCCAP0000000000000000001226\_ent1  
 "Vida del P. Fr. Esteban de Adoain 1808-80. <-> Tit. en la cub.: Vida del P. Fr. Esteban de Ado... ."
- /6406/https\_\_\_hispana\_mcu\_es\_lod\_oai\_repositorio\_BCCPAM000522\_3\_21000000000000000000\_ent1  
 "Curso de homilias para todos los domingos del año. <-> Tit en la cub.: Curso de homilias para todos lo... ."

# Metis Sandbox (Preview)

metis-sandbox-publish-api-prod-portal.eanadev.org/en/search?query=edm\_datasetName%3A6406\_Hispana\_capuchinos%2A&view=g...

europæana

HOME COLLECTIONS STORIES SHARE YOUR DATA LOGIN / JOIN

edm\_datasetName:6406\_Hispana\_capuchinos\* X CLEAR

983 RESULTS FOR edm\_datasetName:6406\_Hispana\_capuchinos\* X

< SHOW ADVANCED SEARCH

Search filters

THEME  
Select a theme

TYPE OF MEDIA  
Select types of media

CAN I USE THIS?  
Select whether you can use this

+ SHOW ADDITIONAL FILTERS


La escuela del amor abierta a todos los hombres en el Corazón de Jesús o sea Un mes de afe...  
Jacinto de Peñacerrada (O.F.M. Cap.)  
Capuchin Central Library of Spain

Misiones capuchinas en Africa. II, Misiones al Reino de la Zinga, Benín, Arda, Guinea y Si...  
Mateo de Anguiano (O.F.M. Cap.)  
Capuchin Central Library of Spain

Platón y las nuevas tecnologías de la palabra / I. García Peña.  
García Peña, Ignacio.  
Capuchin Central Library of Spain


Fuentes de inspiración inmediata en los escritos de San Francisco / Antóni Monteiro ; [tr...  
Monteiro, Antóni (O.F.M. Cap.)  
Capuchin Central Library of Spain

Celebración de la Liturgia y vida parroquial / Sergi Uribe G.  
Uribe Gutiérrez, Sergio (O.F.M. Cap.)  
Capuchin Central Library of Spain



# ContentTier:1

## Dataset Tier Statistics



Showing 1000 records by Content Tier

□ 4 □ 1

Record Id

Content Tier

Metadata Tier

🔍 search 1000 record i

🔒 © \* 🗨️ ↗️ 📄

Record Id	Content Tier	Metadata Tier
...sitorio_BCCCAP00000000000000000000001082_ent1	1	A
...sitorio_BCCCAP000000000000000000000001257_ent1	1	A
...sitorio_BCCCAP000000000000000000000001036_ent1	1	A
...sitorio_BCCCAP000000000000000000000001172_ent1	1	A
...sitorio_BCCCAP000000000000000000000001252_ent1	1	A
...sitorio_BCCCAP000000000000000000000001005_ent1	1	A

< 1 - 10 of 1000 >

Dataset Floor: 1 0 0 A A

☰ europeana

^ edm\_datasetName:6406\_Hispana\_capuchinos\* contentTier:1

51 RESULTS FOR edm\_datasetName:6406\_Hispana\_capuchinos\* contentTier:1

<p>Los vuelos del recuerdo : poemas / Javier Azcona. Azcona, Javier (O.F.M. Cap.) Capuchin Central Library of Spain</p>	<p>El P. Tomás de Burgui y su libro sobre San Miguel de Excelsis / Tarsicio de Azcona. Tarsicio de Azcona (O.F.M. Cap.) (1923-) Capuchin Central Library of Spain</p>	<p>Huellas de San Francisco en la literatura castellana / Anselmo de Legarda. Anselmo de Legarda (O.F.M. Cap.) Capuchin Central Library of Spain</p>
<p>Clara de Asís en la tipología hagiográfica femenina / Lázaro Iriarte. Iriarte, Lázaro (O.F.M. Cap.)</p>	<p>Cristo y san Francisco en las constituciones capuchinas de</p>	<p>Los barí : su mundo social y religioso / Dionisio Castillo Caballero.</p>



**Why these items are  
in  
ContentTier:1?**

Content Tier Breakdown

The content tier is the maximum value awarded to any linked media resource. All the record's media resources are listed below.

Record Type	TEXT
License Type	OPEN
Landing Page Available	Yes ✓

No Media Resources Available

Error Detail - Media Processing



Error 1 of 109 (copy)

Type: ● WARN

Records: [ "/6406/https\_\_\_hispana\_mcu\_es\_lod\_oai\_repositorio:https://hispana.mcu.es/lod/oai:repositorio:BCCCAP000000000

Problem while processing

http://www.bidicap.org/doi/BCCCAP0000000000

Prospecciones megalíticas en el valle de Baztán (Navarra) / por E. Zudaire.

Escritores de la Provincia Capuchina de Navarra-Cantabria-Aragón : 1900-2000, p. 675

Error 2 of 109 (copy)

Type: ● WARN

Records: [ "/6406/https\_\_\_hispana\_mcu\_es\_lod\_oai\_repositorio:https://hispana.mcu.es/lod/oai:repositorio:BCCCAP0000000000000000000000000473#ent1" ]

Problem while processing

http://www.bidicap.org/doi/BCCCAP00000000000000000000000473/HTML/files/assets/common/downloads/publication.pdf


```

"aggreatedCHO": "/item/6406/https___hispana_mcu_es_lod_oai_repositorio_BCCCAP00000000000000000000000001082_ent1",
"webResources": [
  {
    "about": "http://opac.bibliotecascapuchinas.org/opac/abnetcl.exe?IITH=27520",
    "textAttributionSnippet": "Prospecciones megalíticas en el valle de Baztán (Navarra) / por E. Zudaire - https://www.europeana.eu/item/6406/https___hispana_mcu_es_lod_oai_repositorio_BCCCAP00000000000000000000000001 http://opac.bibliotecascapuchinas.org/opac/abnetcl.exe?IITH=27520. CC BY - http://creativecommons.org/licenses/by/4.0/"
    "htmlAttributionSnippet": "<link rel='stylesheet' type='text/css' href='https://api.europeana.eu/attrib href='http://data.europeana.eu/item/6406/https___hispana_mcu_es_lod_oai_repositorio_BCCCAP000000000000000000000000 / por E. Zudaire/><dd><dt>Creator</dt><dd lang=''>Zudaire Huarte, Eulogio (O.F.M. Cap.) ( 1915-1991)</dd><dt>IITH=27520' target='_blank' rel='noopener'><a href='http://creativecommons/licenses/by/4.0/' target='_blank' rel='noopener'><span class='icon-ebucoreHasMimeType': 'application/xhtml+xml', 'ebucoreFileSize': 0
  },
  {
    "about": "http://www.bidicap.org/doi/BCCCAP000000000000000000000001082/HTML/files/assets/cover300.jpg",
    "textAttributionSnippet": "Prospecciones megalíticas en el valle de Baztán (Navarra) / por E. Zudaire - https://www.europeana.eu/item/6406/https___hispana_mcu_es_lod_oai_repositorio_BCCCAP00000000000000000000000001 http://opac.bibliotecascapuchinas.org/opac/abnetcl.exe?IITH=27520. CC BY - http://creativecommons.org/licenses/by/4.0/"
    "htmlAttributionSnippet": "<link rel='stylesheet' type='text/css' href='https://api.europeana.eu/attrib href='http://data.europeana.eu/item/6406/https___hispana_mcu_es_lod_oai_repositorio_BCCCAP000000000000000000000000 / por E. Zudaire/><dd><dt>Creator</dt><dd lang=''>Zudaire Huarte, Eulogio (O.F.M. Cap.) ( 1915-1991)</dd><dt>IITH=27520' target='_blank' rel='noopener'><a href='http://creativecommons/licenses/by/4.0/' target='_blank' rel='noopener'><span class='icon-
  },
  {
    "about": "http://www.bidicap.org/doi/BCCCAP000000000000000000000001082/HTML/files/assets/common/downloads/publication.pdf",
    "textAttributionSnippet": "Prospecciones megalíticas en el valle de Baztán (Navarra) / por E. Zudaire - https://www.europeana.eu/item/6406/https___hispana_mcu_es_lod_oai_repositorio_BCCCAP00000000000000000000000001 http://opac.bibliotecascapuchinas.org/opac/abnetcl.exe?IITH=27520. CC BY - http://creativecommons.org/licenses/by/4.0/"
    "htmlAttributionSnippet": "<link rel='stylesheet' type='text/css' href='https://api.europeana.eu/attrib href='http://data.europeana.eu/item/6406/https___hispana_mcu_es_lod_oai_repositorio_BCCCAP000000000000000000000000 / por E. Zudaire/><dd><dt>Creator</dt><dd lang=''>Zudaire Huarte, Eulogio (O.F.M. Cap.) ( 1915-1991)</dd><dt>IITH=27520' target='_blank' rel='noopener'><a href='http://creativecommons/licenses/by/4.0/' target='_blank' rel='noopener'><span class='icon-
  }
}

```



# ContentTier:2 - ContentTier:3

☰  europeana

---

^ edm\_datasetName:6406\_Hispana\_capuchinos\* contentTier:2

---

0 RESULTS FOR edm\_datasetName:6406\_Hispana\_capuchinos\* contentTier:2 ✕

☰  europeana

---


^ edm\_datasetName:6406\_Hispana\_capuchinos\* contentTier:3

---

0 RESULTS FOR edm\_datasetName:6406\_Hispana\_capuchinos\* contentTier:3 ✕

# ContentTier:4

## Dataset Tier Statistics



Showing 1000 records by Content Tier

4 1

Record Id

Content Tier v

Metadata Tier

Q search 1000 record i

🔍 📄 \* 🗨️ </> 📁

Record Id	Content Tier	Metadata Tier
...mcs_es_lod_oai_repositorio_NG200403008_ent1	4	A
...sitorio_BCCCAP0000000000000000000000001690_ent1	4	A
...ai_repositorio_BCCAP00000000000000000042ELEC_ent1	4	A
...ositorio_PS_NyG_1990v037n003p0391_0410_ent1	4	A
...sitorio_BCCCAP000000000000000000000000909_ent1	4	A
...ositorio_PS_NyG_1977v024n001p0093_0108_ent1	4	A

< 1 - 10 of 1000 >

Dataset Floor: 1 0 0 A A



☰ europeana

^ edm\_datasetName:6406\_Hispana\_capuchinos\* contentTier:4

949 RESULTS FOR edm\_datasetName:6406\_Hispana\_capuchinos\* contentTier:4 X

**ESTUDIOS**

EL DOGMA DEL INFIERNO EN LA CURA DE ALMAS DE VILLAMONTE

El dogma del infierno en la cura de almas / Alejandro de Villamonte.

Alejandro de Villamonte (O.F.M. Cap.)

Capuchin Central Library of Spain

**NORMAS**

DE LA PIA UNION DEL TRANSITO DE SAN JOSE POR LOS AGONIZANTES DE CADA DIA CANONICAMENTE ESTABLECIA

NORMAS DE SAN JOSE DE LA MONTAÑA

FABRICE CAPUCHINO LA LOMBA

Normas de la Pía Unión del Tránsito de San José por los Agonizantes de Cada Día canónicamente...

Capuchin Central Library of Spain

**DIALECTICA Y DIÁLOGO**

La historia de las palabras

Dialéctica y diálogo / E. Rivera de Ventosa.

Rivera, Enrique (O.F.M. Cap.)

Capuchin Central Library of Spain

**Mons. Franziscus-Dominik Reynaudi Apostel Bulgariensis (1808-1893) / Josef Ant. von Genera...**

Josephus Antonius a General Nikolaeov (O.F.M.Cap.) ( 1914- )

Capuchin Central Library of Spain

# Why these items are in ContentTier:4?

# Record Report



## Record Tier Calculation Summary

Europeana Record Id	/6406/https__hispana_mcu_es_lod_oai_repositorio_NG200403008_ent1
Provider Record Id	https://hispana.mcu.es/lod/oai:repositorio:NG200403008#ent1
Content Tier	4
Metadata Tier	0
Links	<a href="#">record before processing (as provided)</a> <a href="#">record after processing (as published)</a> <a href="#">record (portal preview)</a>

## Content Tier Breakdown

The content tier is the maximum value awarded to any linked media resource. All the record's media resources are listed below.

Record Type	TEXT
License Type	OPEN
Landing Page Available	Yes ✓




## Media Resource Technical Metadata (1 of 1)

Resource	http://www.bidicap.org/doai/NG200403008/HTML/files/assets/common/downloads/publ
Url	
Media	TEXT
Type	
Mime	application/pdf
Type	
Element	IS_SHOWN_BY
Link Types	
Image	-
Resolution	
Image	4
Resolution	
Tier	
Licence	OPEN
Type	
Media Tier	4

# MetadataTier: 0

## Dataset Tier Statistics



Showing 1000 records by Metadata Tier

0

Record Id

Content Tier

Metadata Tier

search 1000 record i

Record Id	Content Tier	Metadata Tier
..._mcsu_es_lod_oai_repositorio_NG200403008_ent1	4	A
...sitorio_BCCCAP00000000000000000000001690_ent1	4	A
...ai_repositorio_BCCCAP00000000000000000042ELEC_ent1	4	A
...ositorio_PS_NyG_1990v037n003p0391_0410_ent1	4	A
...sitorio_BCCCAP00000000000000000000000909_ent1	4	C
...ositorio_PS_NyG_1977v024n001p0093_0108_ent1	4	A

< 1 - 10 of 1000 >

Dataset Floor:

1 0 0 A A

européana

edm\_datasetName:6406\_Hispana\_capuchinos\* metadataTier:0

1,000 RESULTS FOR edm\_datasetName:6406\_Hispana\_capuchinos\* metadataTier:0 X

**ESTUDIOS**

EL DOGMA DEL INFIERNO EN LA CURA DE ALMAS

El dogma del infierno en la cura de almas / Alejandro de Villalmonte.

Alejandro de Villalmonte (O.F.M. Cap.)

Capuchin Central Library of Spain

**NORMAS**

DE LA PÍA UNIÓN DEL TRÁNSITO DE SAN JOSÉ POR LOS AGONIZANTES DE CADA DÍA

CANONICAMENTE ESTABLECIDA

Normas de la Pía Unión del Tránsito de San José por los Agonizantes de Cada Día canónicamente...

Capuchin Central Library of Spain

**DIALECTICA Y DIÁLOGO**

La historia de las palabras

Dialéctica y diálogo / E. Rivera de Ventosa.

Rivera, Enrique (O.F.M. Cap.)

Capuchin Central Library of Spain

La causalidad según G. de Ockham

P. Basso de Lomax

Zuzubek Haxeva, Edwan 1916-

EMPRESA DE LEUCATA

LANCE FATAL DEL YORREY CHOKONA

# Why are these items in MetadataTier:0?



## Metadata Tier Breakdown

The metadata tier is the minimum value awarded to any of the metadata tier dimensions that are listed below.

## Language Dimension

All language Qualifiable Elements	4
Elements without Language Qualifier Count	4
Elements without Language Qualifier	<ul style="list-style-type: none"><li>• dc:type</li><li>• dc:title</li><li>• dc:rights</li><li>• dc:source</li></ul>
Awarded Tier for the Language Dimension	0

## Enabling Elements Dimension


Distinct Enabling Metadata Element Count	2
Distinct Enabling Metadata Elements	<ul style="list-style-type: none"><li>• dc:type</li><li>• dc:creator</li></ul>
Distinct Enabling Metadata Group Count	2
Distinct Enabling Metadata Groups	<ul style="list-style-type: none"><li>• edm:AgentType</li><li>• skos:Concept</li></ul>
Awarded Tier for the Enabling Elements Dimension	A

## Contextual Classes Dimension

Referenced Contextual Resources	0
Distinct Represented Contextual Class Count	0
Distinct Represented Contextual Classes	-
Awarded Tier for the Contextual Classes Dimension	A

# Example of a metadataTier:B item from Biblioteca Digital de Castilla y León via Hispana

Log in to see this item in other languages ⓘ



Metadata Tier

B

Links

record before processing (as provided) [↗](#)

record after processing (as published) [↗](#)

record (portal preview) [↗](#)



## Metadata Tier Breakdown

The metadata tier is the minimum value awarded to any of the metadata tier dimensions that are listed below.



## Language Dimension

All language Qualifiable Elements	8
Elements with Language Qualifier	8 (100.00%)
Elements without Language Qualifier Count	0
Elements without Language Qualifier	-
Awarded Tier for the Language Dimension	C

© CCO



SHARE

DOWNLOAD

# Example of a metadataTier:B item from Biblioteca Digital de Castilla y León via Hispana

Metadata Tier	B
Links	<a href="#">record before processing (as provided)</a> <a href="#">record after processing (as published)</a> <a href="#">record (portal preview)</a>



## Metadata Tier Breakdown

The metadata tier is the minimum value awarded to any of the metadata tier dimensions that are listed below.



## Language Dimension

All language Qualifiable Elements	8
Elements with Language Qualifier	8 (100.00%)
Elements without Language Qualifier Count	0
Elements without Language Qualifier	-
Awarded Tier for the Language Dimension	C



## Enabling Elements Dimension

Distinct Enabling Metadata Element Count	6
Distinct Enabling Metadata Elements	<ul style="list-style-type: none"> <li>dc:type</li> <li>dc:subject</li> <li>edm:currentLocation</li> <li>dc:creator</li> </ul>
Distinct Enabling Metadata Group Count	4
Distinct Enabling Metadata Groups	<ul style="list-style-type: none"> <li>edm:TimeSpanType</li> <li>edm:PlaceType</li> <li>edm:AgentType</li> <li>skos:Concept</li> </ul>

Awarded Tier for the Enabling Elements Dimension

## Contextual Classes Dimension

Referenced Contextual Resources	1
Distinct Represented Contextual Class Count	1
Distinct Represented Contextual Classes	skos:Concept

Awarded Tier for the Contextual Classes Dimension

**...and when in doubt,  
do reach out to us**

- EF or your Aggregator -  
or read more on...**

# Publishing Guide - Europeana Knowledge Base

## Europeana Knowledge Base

- Digital objects vs Non digital objects
- ▼ Content & Metadata Tiers
  - ▼ Tier A-C requirements
    - Metadata Tier A
    - Metadata Tier B
    - Metadata Tier C
  - ▶ Tier 1 requirements per edm:type
  - ▼ Tier 2-4 requirements per edm:type
    - ContentTier 2-4: Image type
    - ContentTier 2-4: Text type
    - ContentTier 2-4: Audio type
    - ContentTier 2-4: Video type
    - ContentTier 2-4: 3D type
  - Example records - content & metadata ti...
  - Examples of high quality data

Europeana Knowledge... / Publishing guide

## Publishing guide



Owned by Henning Scholz, created with a template ...  
Last updated: Jun 29, 2023 by Maša Škrinjar • 2 min read



Summarize | ...

The *Europeana Publishing Guide* is a resource for data partners who share material on the Europeana website. It outlines the minimum metadata requirements for having your data incorporated into the Europeana website. It brings all the existing information into one place and outlines the criteria for submission of metadata to the Europeana website. It is intended to help aggregators and data partners share their data, become fully standardised and interoperable, if desired, and to improve the Europeana website in a uniform and consistent way. We will work with you to make sure that your datasets meet the publication criteria - because good data gives audiences a better experience and a greater connection with *your* collections.

The *Publishing Guide* builds on the [Europeana Publishing Framework \(EPF\)](#). The EPF goes beyond minimum metadata requirements for data publication in the Europeana website by addressing the quality of the metadata (through Tiers A, B, and C) and the quality of the content. It introduces four tiers of criteria for content (through Tiers 1, 2, 3 and 4) by taking into account not just the quality of the content, but also the selected rights statement. Because copyright restrictions often prevent the public from using, sharing, and creatively engaging with digital collections, we encourage data providers to use rights statements that allow reuse where possible. The greater openness of the content you allow, the higher content tier can the provided object achieve, meaning it can benefit audiences in a more significant way, as we outline [here](#).


# Metis Sandbox to Metis production via Jira



# Tracking the work (Jira)


The screenshot shows a Jira issue page with a dark theme. At the top, the breadcrumb navigation reads: Projects / Europeana DPS / AGG-62 / AGG-1694. The issue title is '444\_Hispana\_Capuchinos'. Below the title are several action buttons: 'Attach', 'Create subtask', 'Link issue', 'Create', and 'Zeplin for Jira'. There are also tabs for 'General', 'Data Submission Details', and 'New Form - WIP'. The 'Description' section contains a link 'Europeana Preview link' and the text 'Zoho Desk Ticket'. On the right side, there is a sidebar with a 'Done' button, a 'Done' status indicator, and an 'Actions' dropdown menu. Below this, a 'Your pinned fields' section is visible, showing 'Start date' as 'None' and 'Reporter' as 'Sara González' with a user icon.

# Data processing in Metis





# Data processing in Metis



europa  
metis

Hispana\_Capuchinos **PUBLISHED**

Provider Hispana

Data Provider Biblioteca Digital de Capuchinos

Number of items published 3124

Last published 05/02/2024 - 10:50

Number of items depublished Not depublished

Last depublished Not depublished

[View in Preview](#) | [View in Collections](#)

Workflow 444  Processing h  
05/02/2024 - 10:50

Workflow created on: 05/02/2024 10:47 Started by: Adina Cioclu

WORKFLOW STEP	PROCESSED / RECORDS	START TIME	END TIME	ACTIONS
<b>PU</b> Publish	3124 <span style="border: 1px solid red; border-radius: 50%; padding: 2px;">A1</span> / 3125	05/02/2024 10:47	05/02/2024 10:50	Report  XML

Workflow created on: 30/01/2024 17:27 Started by: Adina Cioclu

WORKFLOW STEP	PROCESSED / RECORDS	START TIME	END TIME	ACTIONS
<b>Pr</b> Preview	3125 / 3125	30/01/2024 19:42	30/01/2024 19:45	XML
<b>M</b> Process Media <span style="border: 1px solid green; border-radius: 50%; padding: 2px;">Medium Throttle</span>	3125 / 3125	30/01/2024 17:47	30/01/2024 19:42	Report  XML
<b>E</b> Enrich	3125 / 3125	30/01/2024 17:46	30/01/2024 17:47	XML
<b>N</b> Normalise	3125 / 3125	30/01/2024 17:43	30/01/2024 17:46	XML
<b>Vi</b> Validate (EDM internal)	3125 / 3125	30/01/2024 17:42	30/01/2024 17:43	XML
<b>T</b> Transform	3125 / 3125	30/01/2024 17:40	30/01/2024 17:42	XML
<b>Ve</b> Validate (EDM external)	3125 / 3125	30/01/2024 17:39	30/01/2024 17:40	XML
<b>Ho</b> Import OAI-PMH <span style="border: 1px solid green; border-radius: 50%; padding: 2px;">Incremental Processing</span>	3125 / 3125	30/01/2024 17:27	30/01/2024 17:39	XML

# Processing in Metis - example of date Enrichment

```
timespans: [
  {
    about: "#1901",
    prefLabel: {
      zxx: [
        "1901"
      ]
    },
    begin: {
      def: [
        "1901-01-01"
      ]
    },
    end: {
      def: [
        "1901-12-31"
      ]
    },
    isPartOf: {
      def: [
        http://data.europeana.eu/timespan/20
      ]
    },
    skosNotation: {
      def: [
        "1901"
      ]
    }
  },
  {
    about: http://data.europeana.eu/timespan/20,
    prefLabel: {
      de: [
```

# Processing in Metis - example of Organisation enrichment

```
  },
  europeanaCollectionName: [
    "444_Hispana_Capuchinos"
  ],
  europeanaCompleteness: 10,
  organizations: [
    {
      about: http://data.europeana.eu/organization/148225000004671126,
      prefLabel: {
        en: [
          "Hispana"
        ]
      }
    },
    {
      about: http://data.europeana.eu/organization/1482250000045729146,
      prefLabel: {
        en: [
          "Capuchin Central Library of Spain"
        ],
        es: [
          "Biblioteca Central Capuchinos de España"
        ]
      }
    }
  ]
},
```



Add Tags

Overview Timeline

Institution Owner DPS Team

Contacts



Miren Joseba Lara Astiz

[bibliotecacentral@bibliotecascapuchinas.org](mailto:bibliotecacentral@bibliotecascapuchinas.org)

Alternative institution names

Alternative 1 Biblioteca Central Capuchinos de España

Lang Alternative 1 ES(Spanish)

Alternative 2 -

Lang Alternative 2 -

Alternative 3 -

Lang Alternative 3 -

Alternative 4 -

<ore:Aggregation rdf:about="https://hispana.mcu.es/lod/oai:repositorio:BCCCAP0000000000000000000048#ent0"

<edm:aggregatedCHO rdf:resource="https://hispana.mcu.es/lod/oai:repositorio:BCCCAP0000000000000000000048">  
<edm:dataProvider>Biblioteca Digital de Capuchinos</edm:dataProvider>

Alternative 5 -

<edm:isShownAt rdf:resource="http://opac.bibliotecascapuchinas.org/opac/abnetc1.exe?TITN=119786"/>

<edm:isShownBy rdf:resource="http://www.bidicap.org/doi/BCCCAP00000000000000000000484/HTML/files/assets"

Hidden names of the institution

Hidden names ⓘ Biblioteca Digital de Capuchinos



# Capuchin Central Library of Spain - <https://www.bibliotecascapuchinas.org/biblioteca/biblioteca-digital-de-capuchinos>

Add Tags

Overview

Timeline

Institution Owner

DPS Team

Institution Name Capuchin Central Library of Spain

Acronym -

Sector Cultural heritage

Subsector -

Subsector other -

Themes -

Description -

Lang Institution Name EN(English)

Lang Acronym -

Website  <https://www.bibliotecascapuchinas.org/biblioteca/biblioteca-digital-de-capuchinos>

Logo  -

Email -

Official language ES(Spanish)

Lead Source Providing institution sign-up form

Destination level

# Organisation entity collection

## Biblioteca Central Capuchinos de España

CAPUCHIN CENTRAL LIBRARY OF SPAIN

LEARN MORE

WEBSITE

SHARE



Breve modo de aprender gramática en diálogo : en el que con toda claridad, y



Representacion del Valle de Roncal contra el proyecto del establecimiento de las Aduanas e...

Tomás de Burquí (O.E.M. Cap)

DOCUMENTS  
POUR SERVIR A L'HISTOIRE MONÉTAIRE  
DE LA NAVARRE ET DU BÉARN  
DE L'AN 1629 A 1629  
M. ADRIEN BLANCHET

Documents pour servir a l'histoire monétaire de la Navarre et du Béarn, de 1629 à 1629 / p...

Blanchet, J.-Adrien ( 1866-1957)

Capuchin Central Library of Spain

¡VIVA NAVARRA!

El aldeano navarro : ¡Viva Navarra!

Capuchin Central Library of Spain


LA OCASION  
HACE AL DEMONIO  
LADRON.

La ocasion hace al demonio ladron : obra util, y provechosa para las personas, que tratan,...


Jiménez de Esparza, Francisco.

Capuchin Central Library of Spain

# Feedback & publication



# Publication: Europeana website



3,124 RESULTS FOR edm\_datasetName:444\* X

**iberische Deklination.**  
Von  
**Hugo Schuchardt,**  
Hilfswort der Akademie der Wissenschaften in Wien.  
Wien, 1842.  
In Kommission bei Alfred Hölderl.  
Verlagsgesellschaft der Buchhändler.

**Die iberische Deklination / von Hugo Schuchardt.**  
Schuchardt, Hugo Ernst Mario (1842-1927)  
Capuchin Central Library of Spain

**DOCUMENTS**  
POUR SERVIR À L'HISTOIRE MONÉTAIRE  
DE LA NAVARRE ET DU BÉARN  
DE 1562 à 1629  
Par M. Adrien BLANCHET.  
Paris, chez la Librairie de la Revue des Deux Mondes, 1866.

**Documents pour servir à l'histoire monétaire de la Navarre et du Béarn, de 1562 à 1629 / p...**  
Blanchet, J.-Adrien (1866-1957)  
Capuchin Central Library of Spain

**CONFERENCIA**  
LA PERSONALIDAD EUSKARA EN LA HISTORIA, EL DERECHO Y LA LITERATURA: CONFERENCIA LEIDA EN ...  
Campión, Arturo.  
Capuchin Central Library of Spain

**CONTINUACION DEL SEMANARIO DE SALAMANCA**  
QUE COMENZÓ EN 4 DE OCTUBRE DE 1793.  
TOMO 1.<sup>o</sup>  
CON REAL PRIVILEGIO  
Salamanca, en la Imprenta de la calle del Pilar, por Manuel de Yago y Manuel Rodríguez.  
Año de 1800.

**Continuacion del Semanario de Salamanca, que principió en 1 de octubre de 1793 : Tomo 1.<sup>o</sup>.**  
Campuchin, Juan  
Capuchin Central Library of Spain

**¡VIVA NAVARRA!**  
El aldeano navarro : ¡Viva Navarra!  
Campuchin, Juan  
Capuchin Central Library of Spain

**Repertorio Histórico**  
Campuchin, Juan  
Capuchin Central Library of Spain

**NUNVA INSTANCA**  
Campuchin, Juan  
Capuchin Central Library of Spain

**CHRISTIANAREN EXPLICACION**  
Campuchin, Juan  
Capuchin Central Library of Spain

**CHRISTIANAREN EXPLICACION**  
Campuchin, Juan  
Capuchin Central Library of Spain

**OBSERVACIONES SELECTAS DE LOS MODOS DE ORACIONES LATINAS**  
Campuchin, Juan  
Capuchin Central Library of Spain

< SHOW ADVANCED SEARCH ⓘ

Search filters

THEME ⓘ  
Select a theme ▼

TYPE OF MEDIA  
Select types of media ▼

CAN I USE THIS?  
Select whether you can use this ▼


+ SHOW ADDITIONAL FILTERS

Feedback





# Usage Statistics Dashboard



User Traffic Statistics on Europeana  
Capuchin Central Library of Spain

Last Month (Jan 1 - 31)

No. of Visits  
**23**




Last Month (Jan 1 - 31)


Average Time  
**0m 6s**

Last Month (Jan 1 - 31)

Pageviews  
**26**



# Usage Statistics Dashboard



# Usage Statistics Dashboard

Europeana Knowledge... / Europeana usage statistics dashboard for p...

Loading app...

Summarize

## Europeana usage statistics dashboard for providing cultural heritage institutions



Owned by Fiona Mowat

Last updated: Nov 23, 2023 by Adina Ciocoiu • 8 min read

Thank you for your interest in our usage statistics dashboard!

The following guidance will help you to get the most out of your institution's dashboard which shows how Europeana's audience are interacting with your institution's content on Europeana.eu. To see how much of your institution's content is on Europeana.eu then you can use our separate [data statistics dashboard product](#).

- [Receiving your dashboard](#)
- [About the dashboard](#)
- [Your institution's databoard](#)
  - [Total no. of visits](#)
  - [Average Time](#)
  - [Bounce Rate](#)
  - [Page Views](#)
- [The Europeana Board](#)





Monasterio de Guadalupe.- Claustro de las Enfermerías. Siglo XVI. Galería n

Claustro de la Enfermería en el Monasterio de Guadalupe. Diputación Provincial de Cáceres (España) Coleccionista Fototipia, Spain. Public Domain



europa  
europeana



[pro.europeana.eu](http://pro.europeana.eu)



[@EuropeanaEU](https://twitter.com/EuropeanaEU)



Funded by  
the European Union